Listing of the Claims:

- 1. (currently amended) A computer-implemented method, comprising, receiving network load information corresponding to network load, at a source of network packets generated therein as original packets free of containing any retransmitted content, wherein the network load information is determined by network traffic, and controlling a rate of a flow of packets at the source based on the network load information and a weight value associated with the flow.
- 2. (previously presented) The method of claim 1 wherein the load information comprises a load estimate computed by at least one router in a path from the source to a destination node.
- 3. (previously presented) The method of claim 1 wherein the load information comprises a combination of load estimates computed by at least two routers in a path from the source to a destination node.
- 4. (previously presented) The method of claim 1 wherein the load information is provided by at least one router in a path from the source to a destination node.
- 5. (original) The method of claim 4 wherein the load information is placed by a router into a packet sent by the source, received at the destination node, and returned to the source via another packet from the destination node.

- 6. (previously presented) The method of claim 5 wherein the other another packet comprises an acknowledge packet sent from the destination node to the source.
- 7. (original) The method of claim 1 wherein controlling the rate of the flow of packets comprises adjusting the rate proportional to the weight value and inversely proportional to the load information.
- 8. (currently amended) In a computer network, a system comprising, a source of a flow of data generated therein as original data free of containing any retransmitted content, a destination node that receives at least some of the flow of data from the source, a router between the source and destination that is configured to compute network load and associate load value information of the router corresponding to the network load with the data, a mechanism configured to provide the value corresponding to the network load to the source, and the source including a mechanism that controls a rate of flow of further data based on the value corresponding to the network load and a weight associated with the flow of further data.
- 9. (original) The system of claim 8 further comprising at least one other router between the source and the destination, and wherein the load value

information of the router is adjusted by the other router before being provided to the source.

- 10. (original) The system of claim 8 wherein the mechanism configured to provide the load value information is incorporated into the destination, and the load value information is provided to the source in a communication back from the destination the source.
- 11. (currently amended) In a computer system connected to a computer network, a method comprising:

obtaining price information corresponding to network load at the computer system, the price information being determined by actual network traffic relative to network capacity; and

controlling a rate of transmitting data at a source on the network, the source generating the data as an original data free of containing any retransmitted content, the controlling based on the price information and a value representative of a willingness to pay threshold, wherein the willingness to pay threshold corresponds to an assigned predetermined number associated with an operator of the computer system.

12. (original) The method of claim 11 wherein obtaining price information includes receiving the price information from another computer system on the network.

- 13. (previously presented) The method of claim 12 wherein the other computer system on the network determines the price information by measuring the actual network traffic as an amount of the network capacity which can be served with a congestion below a congestion threshold.
- 14. (previously presented) The method of claim 13 wherein the amount comprises a threshold value, and wherein the other computer system determines the price information by measuring the actual network traffic, and increasing a previous price if the actual network traffic relative to network capacity is greater than a threshold value, or decreasing the previous price if the actual network traffic relative to network capacity is less than the threshold value.
- 15. (original) The method of claim 14 wherein the other computer system on the network increases the previous price by multiplying the previous price by a first factor, and decreases the previous price by multiplying the previous price by a second factor.
- 16. (original) The method of claim 12 wherein the other computer system broadcasts the price information.
- 17. (previously presented) The method of claim 12 wherein the other computer system periodically updates the price information.

- 18. (previously presented) The method of claim 11 wherein controlling a rate of transmitting data includes determining the rate based on the willingness threshold value divided by the price information.
- 19. (previously presented) The method of claim 11 wherein controlling a rate of transmitting data includes, obtaining the value representative of the willingness to pay threshold for a selected application, and controlling the transmit rate for the selected application based on that willingness threshold value and the price information.
- 20. (previously presented) The method of claim 11 wherein controlling a rate of transmitting data includes, obtaining the value representative of the willingness to pay threshold for each of a plurality of selected applications, and for each application, controlling the transmit rate based on the application's respective willingness threshold value and the price information.
- 21. (original) The method of claim 20 wherein at least one other application does not have its transmit rate controlled according to the price information.
- 22. (previously presented) The method of claim 20 wherein at least one application has its transmit rate comprised of a fixed amount not controlled

according to the price information, and a rate based on the price and the application's respective willingness to pay threshold.

- 23. (currently amended) The method of <u>claim</u> 22 wherein the price information being determined is based on an amount of the network capacity being used by at least one application whose rate at least in part is not controlled according to price information.
- 24. (currently amended) The method of <u>claim</u> 23 wherein a rate adjustment is smoothed based on the amount of the network capacity being used by at least one application whose rate at least in part is not controlled according to price information.
 - 25. (currently amended) In a computer network, a system, comprising, an observer mechanism that determines network demand;

a pricing mechanism configured to determine a price based on the network demand and network capacity data, the pricing mechanism further configured to provide price information corresponding to the price to at least one device on the network; and

a rate control mechanism at a source <u>of originally generated data packets</u>

free of retransmitted <u>content</u> that is configured to receive the price information and to control at least one transmit rate based on the received price information.

- 26. (original) The system of claim 25 wherein the observer mechanism is incorporated into a computing device on the network.
- 27. (original) The system of claim 26 wherein the computing device comprises a router.
- 28. (original) The system of claim 26 wherein the computing device comprises a gateway.
- 29. (original) The system of claim 26 wherein the pricing mechanism is incorporated into the same computing device as the observer.
- 30. (original) The system of claim 25 wherein the pricing mechanism provides price information by broadcasting the price information on the network.
- 31. (previously presented) The system of claim 30 wherein the pricing mechanism provides the price information at periodic intervals.
- 32. (original) The system of claim 25 wherein the pricing mechanism determines price information by dividing a value representative of the network demand by the network capacity data.

- 33. (original) The system of claim 32 wherein the network capacity data comprises a fixed value.
- 34. (previously presented) The system of claim 32 wherein the network capacity is not constant.
- 35. (original) The system of claim 32 wherein the value representative of the network demand comprises a number of bytes of network traffic per unit time.
- 36. (original) The system of claim 35 wherein the number of bytes includes packet overhead.
- 37. (currently amended) The system of claim 25 further comprising an application program, and wherein the rate control mechanism controls a transmit rate for the application based on a willingness to pay threshold value associated with the application program and the received price information, wherein the willingness to pay threshold corresponds to an assigned predetermined number associated with an operator of a computer system at the source.
- 38. (original) The system of claim 37 further comprising at least one other application that does not have its transmit rate controlled by the rate control mechanism.

- 39. (previously presented) The system of claim 37 wherein at least one application has its transmit rate comprised of a fixed amount not controlled according to the price information, and a rate based on the price and the application's respective willingness to pay threshold.
- 40. (currently amended) The method of claim 39 wherein the price information being determined is based on an amount of the network capacity being used by at least one application whose rate at least in part is not controlled according to price information.
- 41. (currently amended) The method of claim 40 wherein a rate adjustment is smoothed based on the amount of the network capacity being used by at least one application whose rate at least in part is not controlled according to price information.
- 42. (original) The system of claim 37 wherein the pricing mechanism determines the price information by comparing the network demand to a threshold value, and if the network demand achieves the threshold value, increasing a previous price, and if not, decreasing the previous price.
- 43. (original) The system of claim 25 wherein the rate control mechanism comprises protocol code implemented at the Internet Protocol (IP) layer.

- 44. (original) The system of claim 25 wherein the rate control mechanism controls the at least one transmit rate by controlling a rate of acknowledging packet receipt.
- 45. (currently amended) A computer-implemented method, comprising: receiving a plurality of packets transmitted on a network during a period of time;

determining a network demand value based on an accumulated size of the packets received during the period of time and a network capacity value;

determining a price value based on the network demand value relative to a threshold;

providing the price value to a computing device <u>operable to generate original</u>

<u>packets free of retransmitted content on the network; and</u>

at the computing device, controlling a rate of transmitting packets on the network based on the price.

- 46. (original) The method of claim 45 wherein receiving a plurality of packets includes operating a computing device in a mode that is intended to receive all packets transmitted on the network.
- 47. (original) The method of claim 45 wherein determining a network demand value comprises calculating a current percentage of the network capacity in use.

- 48. (original) The method of claim 45 wherein determining a price value comprises increasing a previous price if the threshold is achieved, else decreasing the price.
- 49. (original) The method of claim 45 wherein providing the price value comprises broadcasting price information on the network.
- 50. (currently amended) The method of claim 45 wherein controlling the rate of transmitting packets comprises, selecting an application program, obtaining a willingness threshold value associated with the application program, and controlling the rate based on the willingness threshold value and the price value, wherein the willingness threshold corresponds to an assigned predetermined number associated with an operator of the computing device.
- 51. (previously presented) The method of claim 45 further comprising acknowledging the receipt of the received packets and wherein controlling a rate of transmitting packets on the network comprises controlling a rate of acknowledging the receipt of packets by the computing device.
- 52. (previously presented) A computer-implemented method, comprising, receiving load information corresponding to network load at a destination of network packets, wherein the network load information is determined

by network traffic, and at a source of originally generated network packets free of retransmitted content, controlling a rate of a flow of packets from the source to the destination based on the load information and a weight value associated with the flow.

53. (previously presented) The method of claim 52 wherein controlling a rate of a flow of packets to the destination comprises controlling a rate of acknowledging packets received from the source.